

Mazuri® Waterfowl Starter Diet

(Available at www.mazuri.com or through a Mazuri® retailer)



Formula Code - 5641

Description

Mazuri® Waterfowl Starter Diet provides appropriate nutrition for rapid growth requirements of newly hatched chicks and adolescent birds. This diet can be fed by floating on the water or in a trough.

Features and Benefits

- **High protein, high nutrient density diet** - Supports health and growth.
- **Special extruded form** - Floats, for a limited amount of time, for a more natural feeding.
- **Nutritionally complete** - Requires no mixing or supplementation, and eliminates sorting.
- **Less waste and mess.**
- **Floating Diet** - Allows birds to be fed on the water.
- **Sustainable fishmeal source used.**



Product Form

Extruded feed: 3/32" diameter x 3/32" length.

- 25 lb. net weight paper sack

Catalog

0001434

Guaranteed Analysis

Crude protein not less than	20.0%	Calcium not less than	0.95%
Crude fat not less than	3.0%	Calcium not more than	1.45%
Crude fiber not more than	6.5%	Phosphorus not less than	0.85%
Ash not more than	7.0%	Salt not less than	0.05%
		Salt not more than	0.55%

Ingredients

Ground corn, wheat middlings, dehulled soybean meal, whole wheat, fish meal, calcium carbonate, dicalcium phosphate, soybean oil, glyceryl monostearate, salt, dl-methionine, brewers dried yeast, cholecalciferol (form of vitamin D₃), pyridoxine hydrochloride, d-alpha tocopheryl acetate (form of vitamin E), menadione sodium bisulfite complex (source of vitamin K), preserved with mixed tocopherols (form of vitamin E), rosemary extract, biotin, vitamin A acetate, choline chloride, citric acid, tagetes (Aztec marigold) extract (color), calcium pantothenate, folic acid, nicotinic acid, thiamine mononitrate, riboflavin supplement, vitamin B₁₂ supplement, l-lysine, manganous oxide, zinc oxide, copper sulfate, sodium selenite, calcium iodate.

Feeding Directions

Feed ad libitum as the sole ration to newly hatched and adolescent birds during their period of fastest growth. If supplementation is desired, it should make up no more than 20% of the total dietary intake (as is basis).

Mazuri® Waterfowl Starter Diet

Approximate Nutrient Composition¹

NUTRIENTS

Protein, %	20
Arginine, %.....	1.2
Cystine, %.....	0.35
Glycine, %.....	0.99
Histidine, %.....	0.52
Isoleucine, %.....	0.80
Leucine, %.....	1.5
Lysine, %.....	1.0
Methionine, %.....	0.46
Phenylalanine, %.....	0.90
Tyrosine, %.....	0.57
Threonine, %.....	0.72
Tryptophan, %.....	0.24
Valine, %.....	0.93
Fat (Acid hydrolysis), %	5.8
Linoleic acid, %.....	1.7
Fiber (Crude), %	3.7
Neutral Detergent Fiber, %.....	16
Acid Detergent Fiber, %.....	4.0
Ash, %	6.4

MACRO MINERALS

Calcium, %.....	1.2
Chloride, %.....	0.28
Magnesium, %.....	0.21
Phosphorus, %.....	0.85
Phosphorus (non-phytate), %.....	0.57
Potassium, %.....	0.82
Sodium, %.....	0.16

TRACE MINERALS

Copper, ppm.....	14
Iodine, ppm.....	1.7
Iron, ppm.....	239
Manganese, ppm.....	143
Selenium (added), ppm.....	0.30
Zinc, ppm.....	110

VITAMINS

Biotin, ppm.....	0.30
Choline chloride, ppm.....	1,308
Folic acid, ppm.....	1.7
Niacin, ppm.....	162
Pantothenic acid, ppm.....	18
Pyridoxine, ppm.....	4.7
Riboflavin, ppm.....	3.8
Thiamin, ppm.....	7.7
Vitamin B ₁₂ , µg/kg.....	15
Vitamin A, IU/kg.....	9,230
Vitamin D ₃ , IU/kg.....	2,218
Vitamin E, IU/kg.....	152
Vitamin K (as menadione), ppm.....	2.5

Storage Conditions

For best results, store contents of open bag in container with sealing lid. Store in a cool (75°F or colder), dry (approximately 50% RH) location free from insects and rodents. Do not offer moldy or insect-infested feed to animals as it may result in illness, performance loss or death. Use within 1 year of bag manufacturing.

¹ Based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.

Mazuri® is a registered trademark of PMI Nutrition International, LLC.