



Callitrichid Gel Diet, Heat Stable

Mazuri® Callitrichid Gel Diet, Heat Stable is a palatable diet formulated to support a variety of feed regimes for insectivorous primates such as marmosets, tamarins, and other callitrichids. This diet is designed to maintain consistency in high temperature environments and is shipped as a powder that is to be made into a gel prior to feeding.

Features and Benefits

- **Convenient powder** – Mixes with hot water to form a palatable, soft, moist product.
- **Contains natural vitamin E** – Highly available form of vitamin E.
- **Palatable diet** – Supports the feeding of other food items.
- **Contains a higher level of fiber** – As compared to Mazuri® Callitrichid Gel (SMI5).
- **Hot weather formula** – Withstands high temperatures without softening.
- **Meets NRC Non-Human Primate recommendations** – For vitamins, minerals, NDF, and ADF.

Product Form & Packaging

Catalog #1810111 | Dry Powder | Available by the kg.

Guaranteed Analysis (dry powder)

Crude protein not less than	19.00%	Ash not more than	9.00%
Crude fat not less than.....	5.50%	Selenium not less than	0.35 ppm
Crude fiber not more than.....	6.00%	Selenium not more than	0.40 ppm
Moisture not more than	12.00%		

Ingredients

Dextrose, Ground Corn, Dehulled Soybean Meal, Corn Gluten Meal, Dried Beet Pulp, Casein, Gelatin, Wheat Middlings, Fructose, Ground Aspen, Sucrose, Corn Oil, Powdered Cellulose, Soybean Oil, Ground Wheat, Calcium Carbonate, Dried Egg Product, Dried Apple Pomace, Wheat Germ, Dried Whey, Locust Bean Gum, Dicalcium Phosphate, Citric Acid, Carrageenan, Natural Flavor, Brewers Dried Yeast, Flaxseed Oil, Dehydrated Alfalfa Meal, Wheat Bran, Xanthan Gum, Ground Flaxseed, Potassium Carbonate, Sodium Hexametaphosphate, Salt, Potassium Chloride, DL-Methionine, L-Ascorbyl-2-Polyphosphate, L-Lysine, Choline Bitartrate, Pyridoxine Hydrochloride, Folic Acid, Taurine, Magnesium Oxide, Choline Chloride, L-Tryptophan, Cholecalciferol (Form Of Vitamin D3), Iron Proteinate, D-Alpha Tocopheryl Acetate (Form Of Vitamin E), Calcium Pantothenate, Vitamin A Acetate, Zinc Proteinate, Biotin, Manganese Proteinate, Menadione Sodium Bisulfite Complex (Source Of Vitamin K), Beta Carotene, Preserved With Mixed Tocopherols (Form Of Vitamin E), Nicotinic Acid, Thiamine Mononitrate, Rosemary Extract, Riboflavin Supplement, Vitamin B12 Supplement, Copper Proteinate, Cobalt Proteinate, Manganous Oxide, Zinc Oxide, Ethylenediamine Dihydroiodide, Ferrous Carbonate, Copper Sulfate, Zinc Sulfate, Calcium Iodate, Sodium Selenite, Cobalt Carbonate.

Feeding Directions

NEVER FEED DRY PRODUCT.

- Combine by weight 70% boiling water and 30% Mazuri® gel powder. Adjust ratios to desired texture and need. For a firmer product, use 65% boiling water to 35% powder.
 - Mix fully, pour into shallow pan. Refrigerate until firm.
 - Cut to desired size and feed.
- Intake of up to 50% prepared Mazuri® gel is recommended.
 - Feed intake will vary based on age, body size and reproductive status.
 - A targeted intake level would be 2.5% - 3.0% powder per kg of animal by body weight per day (never feed dry powder without combining with water).
 - The gel diet can be fed in combination with fruit, vegetables, browse or other food items. Care should be taken when using supplemental dietary ingredients to ensure that nutrient recommendations are assessed.
- Always provide plenty of fresh, clean water.
- Prepared gel should be consumed or discarded within 24 hours or stored no longer than 7 days under refrigeration or up to 1 month frozen.
- If frozen, it is recommended that frozen batches be individually sealed in amount of usage, as repeated entry into the container exposes gel to oxygen.
- Thoroughly wash feed and water bowls on a regular basis. It is always good practice to wash hands thoroughly after feeding and/or handling animals. This diet is not for human consumption.

Caution: Follow label directions: Feeding added selenium at levels in excess of 0.3 ppm in total diet is prohibited.

Storage Conditions

Mazuri® Gel Diets have a 1-year shelf life in the dry powder form when stored in a dry environment. For best results, tightly affix lid on canister after removal of desired dosage or store contents of open bags in container with sealing lid. Store in a cool (75°F/24°C or colder), dry (approximately 50% RH) location free from rodents and insects. Do not feed moldy or insect-infested feed to animals as it may cause illness, performance loss or death. The mixed product should be stored under refrigeration for no longer than 7 days or frozen for up to 1 month. It is recommended that frozen batches be individually sealed in amount of usage, as repeated entry into the container exposes gel to oxygen. Once this product is mixed, it should be handled like raw food.