

Mazuri® Alpaca Care

(Available at www.mazuri.com or through a Mazuri® retailer)

Formula Code – 563Y



Description

Mazuri® Alpaca Care is a fortified feed for all ages and lifestyles of alpaca. Alpaca Care is designed to be fed with free-choice grass hay and/or pasture.

Features and Benefits

- Available in pellet or crumble form
- Calcium and phosphorus concentrations appropriate for breeding alpacas
- Contains flaxseed – A source of omega-3 fatty acids
- Fortified with yeast culture – supports feed digestibility and palatability
- Formulated without distiller's grains – Reduces risk of mycotoxin contamination
- Meets published nutrient requirements for New World Camelids when fed as directed
- Formulated by Ph.D. Nutritionists, in collaboration with leading alpaca specialist Dr. Norm Evans, DVM
- Manufactured in an ionophore-free facility

Product Form

40 lb. net weight paper sack

- Pellet*: 1/4" diameter x 3/4" length
- Pellet*: 5/32" x 11/64"
- Crumbles

Catalog

3005472-205
3005472-905
3005472-305



Guaranteed Analysis

Crude protein not less than	12.0%	Salt not less than.....	1.00%
Crude fat not less than	3.0%	Salt not more than.....	1.50%
Crude fiber not more than	21.0%	Sodium not more than.....	0.80%
Ash not more than	11.0%	Omega-3 fatty acids not less than	0.50%
Calcium not less than	1.50%	Selenium not less than.....	1.30 ppm
Calcium not more than	2.00%	Selenium not more than.....	1.56 ppm
Phosphorus not less than.....	1.00%		

Ingredients

Wheat Middling Ground Soybean Hulls, Dehydrated Alfalfa Meal, Yeast Culture, Ground Flaxseed, Cane Molasses, Calcium Carbonate, Dicalcium Phosphate Salt, Lignin Sulfonate, Soybean Oil, Thiamine Mononitrate, Calcium Propionate (a preservative), DL-Alpha-Tocopherol Acetate (Vitamin E), Cholecalciferol (Vitamin D3), Zinc Methionine Complex, Zinc Oxide, Dehulled Soybean Meal, Manganese Sulfate, Choline Chloride Vitamin A Acetate, Nicotinic Acid, Artificial Flavor, Calcium Iodate, Biotin, Manganous Oxide, Ferrous Carbonate, Sodium Selenite, Copper Sulfate, Zinc Amino Acid Complex, Manganese Amino Acid Complex Copper Amino Acid Complex, Cobalt Glucoheptonate, Zinc Sulfate, Cobalt Carbonate.

Feeding Directions

To be fed with free-choice grass hay or pasture. Feed alpacas 0.5 to 1% of their body weight daily. These feeding amounts are guidelines and should be adjusted based on environmental temperatures, body condition, level of activity or fleece production, and life stage; consult a nutritionist or veterinarian for guidance for individual animal needs.

- For **maintenance**, or females in **early gestation**, feed at 0.5% of body weight (see next page).
- For **late-gestation females, breeding males, senior animals, or Suri** alpacas, consider feeding 25% more **Mazuri® Alpaca Care** or consider transitioning to **Mazuri® Alpaca Complete Life**.
- For **lactating females**, consider feeding 50 to 100% more **Mazuri® Alpaca Care** or transition to **Mazuri® Alpaca Complete Life**.
- If improved fiber quality or production is desired, transition alpacas to **Mazuri® Alpaca Performance**. If more energy intake is needed, transition to **Mazuri® Alpaca Complete Life**.

*Pellet size varies by location. Please consult your Mazuri® representative.

Mazuri® is a registered trademark of PIMI Nutrition International, LLC.

11/15/2021

563Y-RHI-E3

Caution: Follow label directions: Feeding added selenium at levels in excess of 0.3ppm in the total diet is prohibited.

DO NOT FEED TO SHEEP - DUE TO HIGH CONCENTRATIONS OF SUPPLEMENTAL COPPER.

Feeding Guide

Cria weight	Adult weight	Daily Amount*	Cups
25 lbs (11 kg)		0.125-0.25 lbs (55-110 g)	1/3 - 2/3
50 lbs (23 kg)		0.25-0.5 lbs (115-230 g)	2/3 - 1 1/3
75 lbs (35 kg)	75 lbs (35 kg)	0.375-0.75 lbs (175-350 g)	1 - 2
100 lbs (45 kg)	100 lbs (45 kg)	0.5-1 lbs (225-450 g)	1 1/4 - 2 1/2
	150 lbs (70 kg)	0.75-1.5 lbs (350-700 g)	2 - 4
	200 lbs (90 kg)	1-2 lb (450-900 g)	2 1/2 - 5

*Suggested amounts; adjust to individual animal needs

Approximate Nutrient Composition¹

PROTEIN

Crude Protein, %	12.00
Arginine, %	0.70
Cystine, %	0.25
Glycine, %	0.40
Histidine, %	0.38
Isoleucine, %	0.52
Leucine, %	0.81
Lysine, %	0.66
Methionine, %	0.19
Phenylalanine, %	0.49
Taurine, %	0.00
Threonine, %	0.44
Tryptophan, %	0.16
Tyrosine, %	0.33
Valine, %	0.57

FAT

Fat (Ether Extract), %	3.00
Linoleic acid, %	1.14
Linolenic acid, %	0.73
Omega-3 fatty acids, %	0.50

CARBOHYDRATES

Crude Fiber, %	21.00
Neutral detergent fiber, %	38.28
Acid detergent fiber, %	21.42
Dietary starch, %	9.89

Ash, %	11.00
Dry matter	89.10

MACRO MINERALS

Calcium, %	1.50
Chloride, %	0.86
Magnesium, %	0.30
Phosphorus, %	1.00
Phosphorus (available), %	0.71
Potassium, %	1.13
Sodium, %	0.80
Sulfur, %	0.28

MICRO MINERALS

Cobalt, ppm	1.95
Copper, ppm	20.00
Iodine, ppm	2.12
Iron, ppm	440
Manganese, ppm	350
Selenium (total), ppm	1.90
Zinc, ppm	1,000

VITAMINS

Ascorbic acid, ppm	0.00
Biotin, ppm	11.62
Choline, ppm	897
Folic acid, ppm	3.00
Niacin, ppm	266
Pantothenic acid, ppm	12.00
Pyridoxine, ppm	7.45
Riboflavin, ppm	3.01
Thiamin, ppm	387
Vitamin B ₁₂ , µg/kg	0.00
Vitamin A, IU/kg	19,855
Vitamin D ₃ , IU/kg	11,970
Vitamin E, IU/kg	1,442
Vitamin K, ppm	0.61
Beta-carotene, ppm	3.10

Storage Conditions

For best results, reseal the bag between uses or store contents of open paper sack in container with sealing lid. Store in a cool (75°F or colder), dry (approximately 50% RH) location free from rodents and insects. Do not offer moldy or insect-infested feed to animals as it may result in illness, performance loss or death. Freezing will not harm the diet and may extend freshness. Use within 1 year of bag manufacturing.

¹ Based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.

Mazuri® is a registered trademark of PMI Nutrition International, LLC.